

Note:

Regulated Electrical Equipment are to be tested to specified standards. Equipment that are tested and certified to the same standards of later revisions are also acceptable.

				Stan	dards
No	Category	Description of Regulated Equipment	Detail of Equipment	National Standard	Equivalent International Standard
1	PLUG TOP / PLUG	(a) Plug • makes a detachable connection between the contacts of a		MS 1578:2003	BS EN 50075:1991
		socket-outlet and the conductors of a	13 A Fused Plug	MS 589-1:2011	BS 1363:PT.1: 1995 +A1, A2, A3
		flexible cord; • has insulating sleeves on the line and neutral plug pins for insertion into a socket-outlet; and • has a maximum rating of 15 A;	15 A Plug	MS 1577:2003	No corresponding international standard
		(b) Coupler	Appliance Coupler	MS IEC 60320-1:2010	IEC 60320-1:2007
		 is for attachment to a flexible cord; and makes a detachable connection between the conductors of the cord and the pins or contacts of any low voltage appliance or equipment of a type intended or generally used for household applications 	Interconnection Coupler	MS IEC 60320-1:2010 MS IEC 60320-2-2:2011 (confirmed 2015)	IEC 60320-1:2007 IEC 60320-2-2: 1998
		(c) Adaptor • extends supply from	Adaptor (Multiway)	MS 589-3:2018	BS 1363 PT.3:1995 +A1, A2, A3
		a socket-outlet; • incorporates one or more integral socket-outlets; and • has insulating sleeves on the line and neutral plug pins.	Integrated Adaptor Travel Adaptor	MS 1144:2017 No corresponding MS No corresponding MS	BS 5733:2010+A1 2014 IEC 60884-1:2006 IEC 60884-2-5:1995
		(d) Connector • Connecting devices	Electrical Connector (connecting device)	MS IEC 60998-1:2005	IEC 60998-1:2002
		for the connection of two or more electrical copper	Connecting device with screw type clamping unit	MS IEC 60998-1:2005 MS IEC 60998-2-1:2005	IEC 60998-1:2002 IEC 60998-2-1:2002
		conductors.	Connecting device with screw-less type clamping unit	MS IEC 60998-1:2005 MS IEC 60998-2-2:2005	IEC 60998-1:2002 IEC 60998-2-2:2002
			Connecting device with insulation-piercing clamping units	MS IEC 60998-1:2005 MS IEC 60998-2-3:2005	IEC 60998-1:2002 IEC 60998-2-3:2002
			Twist-on connecting device	MS IEC 60998-1:2005 MS IEC 60998-2-4:2005	IEC 60998-1:2002 IEC 60998-2-4:2002
			Connecting boxes	MS 1873:2005 MS 1873-22:2006	IEC 60670-1:2002 with modification IEC 60670-22:2002 with modification
2	SWITCH AND DIMMER	is an air-break switch;	General-Purpose Switch	MS IEC 60669-1:2012	IEC 60669-1:2007

Version: 1 Reg. Date: 3rd January 2024



				Stan	dards
No	Category	Description of Regulated Equipment	Detail of Equipment	National Standard	Equivalent International Standard
		is for connection to the wiring of an electric	Doorbell & Chime	MS IEC 61558-1:2005 MS IEC 61558-2-8:2007	IEC 61558-1:2009 IEC 61558-2-8:2010
		installation; • is primarily for	Electronic Switch	MS IEC 60669-1: 2012 MS IEC 60669-2-1: 2012	IEC 60669-1:2007 IEC 60669-2-1:2009
		mounting on a vertical surface	Switch	MS IEC 60669-1: 2012 MS IEC 60669-2-2: 2012	IEC 60669-1:2007 IEC 60669-2-2:2006
		is manually opened and manually closed; and	Time Delay Switch	MS IEC 60669-1: 2012 MS IEC 60669-2-3: 2012	IEC 60669-1:2007 IEC 60669-2-3:2006
	COCKET	has a rating up to 63A. Outliet Outliet	Cooker Control Unit	No corresponding MS	BS 4177:1992
3	SOCKET OUTLET	(a) Socket Outlet	Electric Shaver Socket Outlet	MS IEC 61558-1:2005 MS IEC 61558-2-5:2006	IEC 61558-1:2009 IEC 61558-2-5:2010
	OUTLET	 is for fixing at a point at which fixed wiring terminates; 		MS 1EC 61338-2-3.2006 MS 589-2:2018	BS 1363:PT 2:1995 +A1, A2, A3
		provides a detachable	15A socket outlet & Plug	MS 1577:2003	No corresponding international standard
		connection with the pins of a plug; • has two, or more contacts; and has a maximum rating of 15 A; • with switch and		MS 1579: 2003	No corresponding international standard
		without switch socket outlet. (b) Portable • A device comprising	Portable cable reel	MS 1141: 2006	IEC 61242: 2008 with modification
		a flexible cable or cord attached to a reel so constructed that the flexible cable may be completely wound onto the reel, and provided with a plug and one or more socket outlets.			
4	FLUORESCENT LAMPHOLDER /STARTER HOLDER	(a) Lamp Holder Holds tubular fluorescent lamp but does not include: A lamp holder which by design is restricted to specific appliances.	Lamp holder for tubular fluorescent lamp	MS IEC 60400: 2006	IEC 60400: 2004
		(b) Starter Holder to hold a glow starter but does not include: A starter holder which by design is restricted to specific appliances.	Starter holder for tubular fluorescent lamp	MS IEC 60400: 2006	IEC 60400: 2004
5	CEILING ROSE	a terminal for connection to a lamp holder via a cable.	Ceiling Rose	MS 770:1982 (confirmed 2006)	BS 67:1969
		Edison Screw Lamp holder with Edison screw thread E14, E27 and E40, designed for holding and connecting to the supply of lamps.	Edison Screw Lamp holder	MS IEC 60238:2008	IEC 60238:2004
6	BAYONET CAP and	holds a bayonet cap	Bayonet cap Lampholder	No corresponding MS	IEC 61184:2008+A1



				Stand	dards
No	Category	Description of Regulated Equipment	Detail of Equipment	National Standard	Equivalent International Standard
	MULTIWAYS ADAPTOR	lamp, bayonet cap adaptor but does not include: • a lamp holder, which by design, is restricted to specific appliances • a lamp holder which is for incorporation in an industrial equipment	Adaptor	MS 769:1982 (confirmed 2013) with IEC 61184:2008	IEC 61184:2008 with modification
7	LAMP FITTING	(a) Luminaires	Batten Luminaires (excluding Tube/Bulb), Luminaires with self- ballasted fluorescent lamp.	MS IEC 60598-1:2012 MS IEC 60598-2-1:1997 (confirmed 2015)	IEC 60598-1:2008 IEC 60598-2-1:1979
			Recessed Luminaires (excluding Tube/Bulb)	MS IEC 60598-1:2012 MS IEC 60598-2-2:1998 (confirmed 2011)	IEC 60598-1:2008 IEC 60598-2-2:1997
		 (b) Glow Starter is for starting preheat type fluorescent lamps; is a glow-start type; and has an enclosure of insulating material holds a light source or bulb. 		MS IEC 60155: 1996	IEC 60155:2006
		(c) Self-ballasted Compact Fluorescent Lamp (CFL) • Lamp which cannot be dismantled without being permanently damaged, provided with a lamp cap incorporating a light source and any elements neccessary for starting and stable operation of the light source.	bayonet caps	MS IEC 60968:2006 (confirmed 2011) MS IEC 60969:2006 (confirmed 2015)	IEC 60968:1999 IEC 60969:2001
		(d) LED Lighting	Lamp controlgear : Particular requirements for d.c. or a.c. supply electronic controlgear for LED modules	MS IEC 61347-1:2012 MS IEC 61347-2-13:2012	IEC 61347-1:2010 IEC 61347-2-13:2006
			Lampholder (Connectors for LED- modules)	MS IEC 60838-1:2008 MS IEC 60838-2-2:2008	IEC 60838-1:2004 IEC 60838-2-2:2006
			Self-ballasted LED Modules for general Lighting services by	MS IEC 62031:2011 with MS IEC 60061- 1:2005	IEC 62031:2008+A1, A2 with IEC 60061-1:2005



				Standards		
No	Category	Description of Regulated Equipment	Detail of Equipment	National Standard	Equivalent International Standard	
			voltage > 50V Self-ballasted double capped LED Lamps for general lighting services by voltage > 50V (to retrofit linear fluorescent lamp)	MS IEC 62776:2017	IEC 62776:2014	
			fluorescent lamp) Self-ballasted single capped LED-lamps for general lighting services by voltage > 50V	MS IEC 62560:2012	IEC 62560:2011	
8	CAPACITOR for FLUORESCENT LAMP	is used together with a ballast in a lamp circuit.	Capacitors for use in tubular fluorescent lamps and other circuits.	MS IEC 61048: 2006 MS IEC 61049: 1999 (confirmed 2015)	IEC 61048: 1999 IEC 61049: 1991	
9	BALLAST / CONTROL GEAR / DRIVER FOR	Ballast is for controlling the magnitude of current flowing	-	MS IEC 61347-1: 2012 MS IEC 61347-2-8:2003 MS 141:2014 with MS IEC 60921:2013	IEC 61347-1: 2010 IEC 61347-2-8: 2000 IEC 60921:2006 with modification	
	LAMP through the Electronic		MS IEC 61347-1:2012 MS IEC 61347-2-3:2003 MS IEC 60929: 2008 with MS IEC 61000-3-2: 2014	IEC 61347-1:2010 IEC 61347-2-3:2000 IEC 60929:2006 with IEC 61000-3-2: 2009		
		 is of the integral type such that it forms a non-replaceable part of a fluorescent lamp/ballast combination; or is of the adaptor type such that it allows the insertion of a fluorescent lamp into the ballast by the user; 				
		but does not include: a ballast which is incorporated in luminaires certified for compliance with the requirements for electrical equipment with increased safety type protection (Explosive) for use in hazardous locations.				



				Stan	dards
No	Category	Description of Regulated Equipment	Detail of Equipment	National Standard	Equivalent International Standard
		(b) Control Gear • General safety for lamp controlgear for use on dc supply up to 250V and or ac supply up to 1000 V	Control Gear	MS IEC 61347-1:2012	IEC 61347-1:2010
10	CIRCUIT BREAKER including AC CURRENT OPERATED EARTH LEAKAGE CIRCUIT BREAKER and MINIATURE CIRCUIT BREAKER	(a) Residual Current Device (RCD) • isolates or initiates a tripping signal to isolate a low-voltage supply to protected circuits, socket-outlets or equipment in the event of a current flow to earth which exceeds a pre-determined level; • has a rated residual current less than 300mA for devices intended for connection to fixed wiring or 10mA for other devices; and • has a rated load current not exceeding 125 A for devices intended for connection to fixed wiring or 20 A for other devices. but does not include:- • a device intended to be used with a particular circuit-breaker other than a miniature overcurrent circuit-breaker; or • a device intended to protect an electricity supply authority distribution system.	Circuit Breaker (RCCB) Residual Current Breaker with Overcurrent	MS IEC 61008-1: 2012 MS IEC 61008-2-1: 2003 or MS IEC 61008-2: 2012 MS IEC 61008-2-2: 2003 MS IEC 61009-1: 2012 MS IEC 61009-2-1: 2003 or MS IEC 61009-2: 2012 MS IEC 61009-2: 2003	IEC 61008-1: 2010 IEC 61008-2-1: 1990 or IEC 61008-1: 2010 IEC 61009-1: 2010 IEC 61009-2-1: 1991 or IEC 61009-2-2: 1991
		(b) Fuse	Miniature Circuit Breaker (MCB) for ac supply	MS IEC 60898-1: 2007	IEC 60898-1: 2003
		current; • has a nominal rating not exceeding 125		MS IEC 60369 1:2011	IEC 60360 1:3006
		A and has a current breaking capacity of	up to 32A	MS IEC 60269-1:2011 MS IEC 60296-2:2011	IEC 60269-1:2006 IEC 60269-2:2006
		up to 10kA.	Fuse/Fuse Link up to 63A	MS IEC 60269-2:2011 MS IEC 60269-3:2011	IEC 60269-2:2006 IEC 60269-3:2010



					Stand	dards
No	Category	Description of Regulated Equipment	Detail of Equipment	National Standard	Equivalent International Standard	
		is by the fusion of one or more of its specially designed and proportioned components, opens the circuit in which it is inserted and breaks the current when this exceeds a given value for a sufficient time. The fuse comprises all the parts that form the complete device.	Switch fuse up to 63A.	MS IEC 60947-1:2010 MS IEC 60947-3:2010	IEC 60947-1:2007 IEC 60947-3:2008	
11	PORTABLE LUMINAIRE LAMP	 is a household type; provides illumination or for decorative purposes, produces light; is fitted with a supply flexible cord, an appliance inlet socket or a power supply unit with integral pins for insertion into a socket outlet; is for standing on a table or floor, or is fitted with a clamp or similar for attachment to 	Standing Lamp with detachable or non-detachable mains supply flexible cord, Standing Lamp & adaptor, Table lamp with detachable or non-detachable mains supply flexible cord, Table Lamp & adaptor, Portable LED Lamp	MS IEC 60598-1: 2012 MS IEC 60598-2-4: 2003 (confirmed 2015)	IEC 60598-1:2008 IEC 60598-2-4: 1997	
		vertical or horizontal surfaces;	Night Lamp integral with direct in plug.	MS IEC 60598-1:2012 MS IEC 60598-2-12:2010	IEC 60598-1:2008 IEC 60598-2-12:2006	
		 is for use with tungsten filament, tubular fluorescent or other discharge lamps; and is constructed to represent a model, person or animal and is likely to be treated by a child as a toy; or has metal parts which are required to be earthed or double insulated from live parts (excluding live parts of an all insulated lampholder) is for inspection purposes using illumination; holds a light source or bulb; and is hand held; but does not include hand lamp with a magnification facility. 	Hand Lamp & adaptor,	MS IEC 60598-1: 2012 MS IEC 60598-2-8:2006	IEC 60598-1:2008 IEC 60598-2-8:2007	
12	KETTLE including	• is a household type;	Warming Plate	MS IEC 60335-1:2015 MS IEC 60335-2-12:2014	IEC 60335-1:2010 IEC 60335-2-12:2008	



				Stand	dards
No	Category	Description of Regulated Equipment	Detail of Equipment	National Standard	Equivalent International Standard
	HEATING ELEMENTS IF	is portable;has a capacity not	Deep Fryer	MS IEC 60335-1:2015 MS IEC 60335-2-13:2017	IEC 60335-1: 2010 IEC 60335-2-13:2009
	SUPPLIED SEPARATELY	exceeding 15L; and heats liquid for: humidifying room air; or hot beverage; or cooking purpose	Heating Liquids such as: Coffee / Tea Maker, Food Steamer, Egg Boiler, Jug, Slow Cooker, Pressure Cooker, Steam Boat, Kettle, Airpot, Bottle Warmer, Sterillizer.	MS IEC 60335-1: 2015 MS IEC 60335-2-15:2017	IEC 60335-1: 2010 IEC 60335-2-15:2012
			Multi-purpose cooker Water Dispenser	MS IEC 60335-1: 2015 MS IEC 60335-2-9:2014 MS IEC 60335-2-13:2006 MS IEC 60335-2-15:2004 MS IEC 60335-1: 2015	IEC 60335-1: 2010 IEC 60335-2-9:2008 IEC 60335-2-13:2004 IEC 60335-2-15:2002 IEC 60335-1: 2010
			-Filter / Ionizer / Hydrogen	MO 150 00005 4 0045	150 00005 4 0040
			Water Dispenser - Hot Water Dispenser	MS IEC 60335-1: 2015 MS IEC 60335-2-15:2004 MS IEC 60335-1: 2015	IEC 60335-1: 2010 IEC 60335-2-15:2002 IEC 60335-1:2010
			- Cold Water Dispenser - Hot and Cold (If the hot water boils)	MS 1597-2-24:2005 MS IEC 60335-1: 2015 MS 1597-2-24:2005 (confirmed 2013) MS IEC 60335-2- 15:2004	IEC 60335-2-24:2010 IEC 60335-1:2010 IEC 60335-2-15:2002 IEC 60335-2-24:2005
			Water Dispenser – Hot and Cold (if the hot water does not boils)	MS IEC 60335-1: 2015 MS 1597-2-24:2005 (confirmed 2013) MS 1597-2-21:2015	IEC 60335-1:2010 IEC 60335-2- 24:2002 IEC 60335-2-21:2012 with modification
			Water Dispenser – Hot and Cold (if the water heater is instantaneous and the water does not boils)	MS IEC 60335-1: 2015 MS 1597-2-24:2005 (confirmed 2013) MS 1597-2-35:2010	IEC 60335-1:2010 IEC 60335-2- 15:2002 IEC 60335-2-35:2006 with modification
13	KITCHEN MACHINE	is a household type; is for the preparation of food by mechanical means; or is for opening cans; or is for sharpening of knives	Blender, Chopper, Food Processor, Juice Extractor, Grinder, Mixer.	MS IEC 60335-1: 2015 MS IEC 60335-2-14:2014	IEC 60335-1:2010 IEC 60335-2-14:2008
14	TOASTER / OVEN (Cooking Appliance)	 is a household type; and is for toasting bread or similar food; is for cooking or warming food by electrical energy; 	Stationary type:- Electric Oven, Induction Hob, Induction Cooker, Cooking Range, Grill.	MS IEC 60335-1:2015 MS IEC 60335-2-6:2014	IEC 60335-1:2010 IEC 60335-2-6:2008



				Stand	dards
No	Category	Description of Regulated Equipment	Detail of Equipment	National Standard	Equivalent International Standard
		applies heat to food, liquid or other substances in a chamber by means of high-frequency electro magnetic radiation.	Portable type:- Bread Maker, Bread Toaster, Portable Oven, Induction Cooker, Grill, Sandwich Maker, Waffle Maker, Roaster, Barbeque, Pop-corn maker.	MS IEC 60335-1:2015 MS IEC 60335-2-9:2014	IEC 60335-1:2010 IEC 60335-2-9:2008
			Microwave Oven	MS IEC 60335-1:2015 MS IEC 60335-2-25:2014	IEC 60335-1:2010 IEC 60335-2-25:2010
15	RICE COOKER	is a household type; and is used for cooking rice But does not include – a type, promoted exclusively to industry / commercial sector.	Rice Cooker	MS IEC 60335-1: 2015 MS IEC 60335-2-15:2004	IEC 60335-1:2010 IEC 60335-2-15:2002
16	REFRIGERATO R	is a household type; and cools and stores food. But does not include – a type, promoted exclusively to industry /commercial sector.	Refrigerator, Freezer, Minibar, Chest Freezer.	MS IEC 60335-1:2015 MS 1597: Part 2-24:2005 (confirmed 2013)	IEC 60335-1:2010 IEC 60335-2-24:2005 with modification
17	IMMERSION WATER	 is a household type; is for heating liquid in	Fixed Immersion Heater	MS IEC 60335-1:2015 MS IEC 60335-2-73:2014	IEC 60335-1:2010 IEC 60335-2-73:2009
	HEATER	which it may be immersed; and is self-contained; and includes — aquarium type immersion heaters	Portable Immersion Heater	MS IEC 60335-1:2015 MS IEC 60335-2-74:2010	IEC 60335-1:2010 IEC 60335-2-74:2006
18	WATER HEATER including HEATING ELEMENTS IF SUPPLIED SEPARATELY	 (a) Storage is for heating and storage of water for bathing, washing or similar purposes; incorporates a heating element; and has a storage capacity not less than 4.5 L or not more than 680 L. 	Storage Water Heater	MS IEC 60335-1:2015 MS 1597-2-21:2015	IEC 60335-1:2010 IEC 60335-2-21:2012 with modification
		 (b) Instantaneous is for heating water; is of the instantaneous type; and incorporates live parts in contact with water. 	Instantaneous Water Heater	MS IEC 60335-1: 2015 MS 1597-2-35:2010	IEC 60335-1:2010 IEC 60335-2-35:2006 with modification
19	WASHING MACHINE	is a household type; andis used for washing /	Washing Machine with dryer	MS IEC 60335-1:2015 MS IEC 60335-2-7:2007	IEC 60335-1:2010 IEC 60335-2-7:2006
		drying clothes. but does not include - a type, promoted exclusively to industry/commercial	Washing Machine with separate spin container	MS IEC 60335-1:2015 MS IEC 60335-2-4:2007 MS 1597:Part 2-7:2017	IEC 60335-1:2010 IEC 60335-2-4:2004 IEC 60335-2-7:2012 with modification
		sector.	Tumbler Dryers	MS IEC 60335-1: 2015 MS IEC 60335-2-11:2014	IEC 60335-1: 2010 IEC 60335-2-11:2012
			Cloth Dryers (on rack located)	MS IEC 60335-1: 2015 MS IEC 60335-2-43:2014	IEC 60335-1: 2010 IEC 60335-2-43:2008



				Stan	dards
No	Category	Description of Regulated Equipment	Detail of Equipment	National Standard	Equivalent International Standard
		household type;for washing and rising dishes.	Dish Washer and other utensils.	MS IEC 60335-1: 2015 MS 1597- 2-5:2005	IEC 60335-1: 2010 IEC 60335-2-5:2005 with modification
20	FAN	 is a household type; has a primary function of moving air in its vicinity; and is self-contained; 	Moving-louver fan, Ceiling fan, Auto fan, Pedestal fan, Table fan, Wall fan & applies to their separate regulators and with blade.	MS IEC 60335-1: 2015 MS 1597- 2-80:2010 MS 1220:2010	IEC 60335-1:2010 IEC 60335-2-80:2008 with modification for ceiling fan only IEC 60879:1986 with modification
			Ventilating fan, Decorative fan & applies to their separate regulators and fan without blade.	MS IEC 60335-1: 2015 MS 1597- 2-80:2010	IEC 60335-1:2010 IEC 60335-2-80:2008 with modification for ceiling fan only
			Range Hood	MS IEC 60335-1: 2015 MS IEC 60335-2-31:2014	IEC 60335-1:2010 IEC 60335-2-31:2008
			Cleaning Appliances (eg. Air Purifier, Fruit & vegetable washer/ozone)	MS IEC 60335-1: 2015 MS IEC 60335-2-65:2014	IEC 60335-1: 2010 IEC 60335-2-65:2008
			Humidifiers (eg. Air Cooler, water diffuser)	MS IEC 60335-1: 2015 MS IEC 60335-2-98: 2014	IEC 60335-1: 2010 IEC 60335-2-98: 2008
21	HAND OPERATED HAIR DRYER/ HAIRCARE/ SKIN CARE	 is a household type or a commercial hand-held type; and is for drying, styling or the caring of human hair. 	Hair Dryer,	MS IEC 60335-1: 2015 MS IEC 60335-2-23:2007	IEC 60335-1: 2010 IEC 60335-2-23: 2003
22	IRON	is a household type; is for smoothening or pressing fabric by the application of heat or steam;	Iron	MS IEC 60335-1:2015 MS IEC 60335-2-3:2006	IEC 60335-1:2010 IEC 60335-2-3:2004
		is hand held except for any separate steam generator; and includes: any associated equipment		MS IEC 60335-1: 2015 MS IEC 60335-2-85:2014	IEC 60335-1: 2010 IEC 60335-2-85:2008
23	SHAVER	is a household type; and shaves, cuts or trims human hair.	Shaver, Hair Clippers.	MS IEC 60335-1: 2015 MS IEC 60335-2-8:2002 (confirmed 2013)	IEC 60335-1: 2010 IEC 60335-2- 8:1992+A1
24	VAPORISER	 is a household type; and Purpose as air fresheners and insect repellers. 	Mosquito Matt Vapor, (eg. Air Freshener, Insect repeller).	MS IEC 60335-1:2015 MS IEC 60335-2- 101:2014	IEC 60335-1:2010 IEC 60335-2-101:2008
25	VACUUM CLEANER	is a household type; is portable; and removes dust, dirt or moisture and the like from floor coverings by suction; or removes garden refuse from lawns or paths and the like by suction. but does not include - a type, promoted exclusively to industry / commercial sectors.	Vacuum Cleaner, Water Suction Cleaning.	MS IEC 60335-1: 2015 MS IEC 60335-2-2:2006	IEC 60335-1: 2010 IEC 60335-2-2:2004

Guidelines for Approval of Electrical EquipmentDoc. ref. no. GP(E)/ECOS/008/2024
Version: 1
Reg. Date: 3rd January 2024



				Stand	dards
No	Category	Description of Regulated Equipment	Detail of Equipment	National Standard	Equivalent International Standard
26	HI-FIDELITY SET	is a household type; is for reproduction of sound, with little distortion, connected to the supply mains as the only energy source, intended for domestic and similar general indoor use with a rated supply voltage not exceeding 250 volts rms. An electronic device for reproduction of audio/video, connected to the supply mains, either directly or indirectly and intended for domestic and similar general indoor use	Sub-woofer, Amplifier, Cassette Player, Equalizer / Mixer, Hi- Fi System, Karaoke, PA System, Portable Hi-Fi System, Portable Radio Cassette, Player / Recorder, Radio, Radio Alarm, Tuner / Receiver, Turn tables / Record Players, Compact Disc Player, Audio/Video Recorder up to 4 channels.	MS IEC 60065: 2007	IEC 60065: 2005 or IEC 62368-1:2014
27	VIDEO and VISUAL DISPLAY UNIT	is for household use; is for receiving and displaying information from a transmitting station or local source is for the display of public or subscription television broadcasts.	Electronic appliances such as: LCD, LED, Plasma, CRT, Internal Antenna/Booster, and similar to it.	MS IEC 60065:2007	IEC 60065:2005 or IEC 62368-1:2014
28	AUDIO and VIDEO PLAYER UNIT	is a household type; is for video recording and playback or for playback only, connected to the supply mains either directly or indirectly and intended for domestic and similar general indoor use.	VCD , Laser Disc, Video Cassette Recorder, DVD , Video Rewinder, Children Video Game, Playstation and similar to it.	MS IEC 60065: 2007	IEC 60065: 2005 or IEC 62368-1:2014
29	MASSAGER	Is a household type.	Foot Massagers, Massage Bed, Massage Chair, Massage Pads, Handheld Massagers, Massage Belts, Water filled foot massager.	MS IEC 60335-1:2015 MS IEC 60335-2-32:2014	IEC 60335-1:2010 IEC 60335-2-32:2008
30	AIR CONDITIONER (Cooling Capacity of 32,000 Btu/hr & below)	A electrical assembly to provide delivery of conditioned air to an enclosed space, room or zone, including an electrically operated refrigeration system for cooling and possibly dehumidifying the air.	Split Air-conditioner, Portable Air- conditioner, Ceiling Air-conditioner	MS IEC 60335-1:2015 MS 1597-2-40: 2017	IEC 60335-1:2010 IEC 60335-2-40:2013 with modification
31	CHRISTMAS LIGHT	 is for decorative, display or illumination purposes; and consists of – lamps or lampholders interconnected by flexible cord of less 	Lighting Chain, Rope Light, Decorative / Festive Light.	MS IEC 60598-1: 2012 MS IEC 60598-2-20:2013	IEC 60598-1:2008 IEC 60598-2-20:2010

Guidelines for Approval of Electrical EquipmentDoc. ref. no. GP(E)/ECOS/008/2024
Version: 1
Reg. Date: 3rd January 2024



				Standards		
No	Category	Description of Regulated Equipment	Detail of Equipment	National Standard	Equivalent International Standard	
		than 2.5mm² cross- sectional area; or - lamps within a flexible enclosure; and includes – any integral power supply or control device.				
32	DOMESTIC POWER TOOLS (Portable Type)	 is for machining, drilling, sawing, or surface preparation; may be entirely supported by hand during 	Drill / Impact Drill (Drill bit size up to 15 mm) Grinder (up to 100 mm) Sander / Polisher (up	MS IEC 60745-1:2010 MS IEC 60745-2-1:2011 MS IEC 60745-1:2010 MS IEC 60745-2-3:2010 MS IEC 60745-1:2010	IEC 60745-1:2006 IEC 60745-2-1:2003 +A1 IEC 60745-1:2006 IEC 60745-2-3:2006	
		operation; • a tool, portable type. but does not include -	to 300 W)	MS IEC 60745-2-4:2011	IEC 60745-2- 4:2002+A1	
		 promoted exclusively to the industry / commercial sector. 	Circular Saw and circular knife (Cutting Blade up to 160 mm)	MS IEC 60745-1:2010 MS IEC 60745-2-5:2010	IEC 60745-1:2006 IEC 60745-2-5:2006	
			Spray gun for non- flammable liquid (up to 100 bars)	MS IEC 60745-1:2010 MS IEC 60745-2-7:2005	IEC 60745-1:2006 IEC 60745-2-7:1989	
			Jig and Sabre Saw / reciprocating saw (up to 60 mm)	MS IEC 60745-1:2010 MS IEC 60745-2-11:2011	IEC 60745-1:2006 IEC 60745-2-11:2006	
			Planer (up to 500 W)	MS IEC 60745-1:2011 MS IEC 60745-2-14:2011	IEC 60745-1:2006 IEC 60745-2-14:2006	
		 is a household type; and is for stitching fabric or other material is for the application or removal of solder; and is hand held; but does not include - a soldering iron promoted exclusively to industry 	Trimmer (up to 300 W) Hedge trimmer and Grass shears (up to 750 W)	MS IEC 60745-1:2010 MS IEC 60745-2-15:2011	IEC 60745-1:2006 IEC 60745-2-15:2006	
			Router and trimmer (up to 500 W) High Pressure	MS IEC 60745-1:2010 MS IEC 60745-2-17:2012 MS IEC 60335-1:2015	IEC 60745-1:2006 IEC 60745-2-17:2010 IEC 60335-1:2010	
			Cleaner Sewing Machine	MS IEC 60335-2-79:2007 MS IEC 60335-1:2015 MS IEC 60335-2-28:2003	IEC 60335-2-79:2005 IEC 60335-1:2010 IEC 60335-2-28:2002	
			Portable Heating Tool such as: Soldering Gun, Soldering Iron, Heat Gun, Hot Air Firelighters, Glue gun.	MS IEC 60335-1:2015 MS IEC 60335-2-45:2003	IEC 60335-1:2010 IEC 60335-2-45:2002	
33	ADAPTER / CHARGER • is a household type; • is for charging batteries other than those of the automotive type; • is self-contained; • is for charging one or more batteries for use in other equipment; • is for charging battery for use in mobile phone / PDA. • Is imported or manufactured separately	• is for charging batteries	Portable Battery Charger (up to 12 V)	MS IEC 60335-1:2015 MS IEC 60335-2-29:2014	IEC 60335-1:2010 IEC 60335-2-29:2010	
		Adapter for IT Equipment (up to 20V)	MS IEC 60950-1:2007 (confirmed 2013)	IEC 60950-1:2005 or IEC 62368-1:2014		



				Stand	dards
No	Category	Description of Regulated Equipment	Detail of Equipment	National Standard	Equivalent International Standard
		A.C D.C. Adapters A device to supply a.c. or d.c. power supply from an a.c. or d.c. source, either by itself or as part	General electrical appliances Electronic Isolating Transformer	MS IEC 61558-1:2005 MS IEC 61558-2-6: 2005	IEC 61558-1: 1998 IEC 61558-2-6:2009
		of an accessory, for domestic and similar	Switching mode power supply Electric toys	MS IEC 61558-1:2005 MS IEC 61558-2-17:2007 MS IEC 61558-1:2005	IEC 61558-1:1998 IEC 61558-2-17:1997 IEC 61558-1:2009
		general indoor use.	Audio video	MS IEC 61558-2-7: 2007; MS IEC 60065:2007	IEC 61536-1.2009 IEC 61558-2-7: 2007 IEC 60065:2005
			equipment	W3 IEC 00003.2007	or IEC 62368-1:2014
			IT & Office products	MS IEC 60950-1:2007	IEC 60950-1:2005 or IEC 62368-1:2014
			Baby Cradle, Breast Pump, Electric Heated Pillow	MS IEC 60335-1:2015	IEC 60335-1:2010
34	WIRE / CABLE / CORD (non- armoured) 0.5mm ² to	is unscreened and flexible; is designed for use at low voltage;	(PVC) Insulated flexible cord and cable	MS 2112-5:2009, A1:2017	BS EN 50525-2-11:2011 or IEC 60227-5:2011
	35mm²	consists of two or three elastomer or PVC insulated cores of	Rubber insulated cord and flexible cables	MS 2127-4:2017	BS EN 50525-2-11-2011 IEC 60245 1:2003+A1:2007 CSV
	multistrand construction; • has a cross-sectional area of each conductor	multistrand construction; • has a cross-sectional area of each conductor from 0.5mm² not	PVC-insulated cable (non-armoured) for electric power and supply: - non-sheathed	MS 2112-3:2009, A1:2015	IEC 60227-3:1993 + A1:1997 CSV
		PVC-insulated cable (non-armoured) for electric power and supply: - sheathed	MS 2112-4:2009, A1:2015	IEC 60227- 4:1992+A1:1997 CSV	